BALLSBRIDGE, DUBLIN 4

A new state of the art office building, prominently located in Ballsbridge, Dublin's most prestigious and vibrant neighbourhood.

04	Introduction
06	Location
08	Sustainability
11	Wellness
13	Schedule of areas
14	Floorplans
19	Specifications
20	Professional Team



A new way of working and interacting


ONE PEMBROKE is promoting a new way of collaboration through its innovative design involving exceptional 360° open views, cascading terraces and a spectacular rooftop. BALLSBRIDGE, DUBLIN 4



A Landmark Office Building



Delivery Date Q3 2026





HERBERT PARK

AVOCA



BALLSBRIDGE HAS IT ALL.

Historic architecture and embassies from across the world sit side by side with quaint cafés, award-winning restaurants and peaceful green spaces in this convenient city centre location.

A world of choice, on your doorstep

AVIVA STADIUM





HERBERT PARK





SPROUT KITCHEN

ROYAL DUBLIN SOCIETY






THE DOCKLANDS

AVIVA STADIUM

LANSDOWNE DART STATION







Perfe place LOCAL AMENITIES © Cafe/Bars © Rest

154 BICYCLE BAYS WITH SHOWER A FACILITIES EXCEEDING BEST PRACE 12 BASEMENT CAR PARKING SPACE LANSDOWNE RAIL AND DART STAT BUS STOP CHARLEMONT LUAS STOP DUBLIN BIKES STATION B SHELBOURNE ROAD TAXI RANK DUBLIN PORT TUNNEL DUBLIN INTERNATIONAL AIRPORT AIRCOACH TO AIRPORT

	 BUS ROUTES
56	 DUBLIN BIKE LANE
	 AIRCOACH TO AIRP
	 DART TRAIN LINE
Ã	 LUAS CROSS CITY
Ä	 LUAS GREEN LINES

ctly						
staurants 🕕 Hotels 🕕 Taxi						
R AND CHANGING ACTICE STANDARDS						
CES						
ATION	04 MINS	ON FOOT				
	02 MINS	ON FOOT				
	20 MIN	ON FOOT				
	05 MINS	ON FOOT				
	02 MINS	ON FOOT				
	10 MIN	BYCAR				
T (VIA PORT TUNNEL)	20 MIN	BYCAR				
	05 MIN	ON FOOT				
Ξ						



Outstanding sustainability credentials

ONE PEMBROKE has been meticulously designed to lead the way in sustainability and occupier wellbeing, targeting Net Zero carbon for 2030 and exceeding requirements for renewable energy generation.

ONE PEMBROKE goes above and beyond current sustainability requirements to deliver environmental design, optimizing material efficiency and minimizing waste.



Outstanding sustainability credentials




RIBA 2030 CLIMATE CHALLENGE




LETI / RIBA OPERATIONAL ENERGY ALIGNED: 55 KWH/M2/Y



GREEN ACCESSIBLE TERRACES WITH NATIVE AND ADAPTIVE PLANT SPECIES



RESOURCE & MATERIAL OPTIMISATION



NATURAL LIGHT & VENTILATION ADVANCED HVAC



RAIN WATER HARVESTING



CYCLING TO WORK ENCOURAGED WITH 169 SPACES



SUSTAINABLE TRANSPORT 12 EV PARKING SPACES

Wellbeing is our number one priority



ONE PEMBROKE has been designed with employee comfort and convenience at its heart. A wraparound penthouse terrace, as well as landscaped terraces on each upper level, and a panoramic rooftop, make the most of the building's breath-taking open views and promote employee wellness with easy access to outdoor space; to meet, relax, or catch up over lunch.

Natural daylight and ventilation are maximized throughout the building, with large office spaces, sizeable openable windows and seated outdoor areas.

A large café with outside seating provides space for meetings, breaks and lunchtime chats.





Comfort for commuters

With health and wellbeing at the forefront of occupier experience, ONE PEMBROKE delivers thoughtful end-of-trip spaces, encouraging healthier commuting choices and active travel.

Best in class end-of-trip facilities

14 shower suites with spacious changing facilities

Vanity space within each changing area

169 secure bicycle spaces and lockers, both double and single stacker system

Drying room facilities

Designated cargo bike spaces

Bike servicing and repair station

Electric charge facilities for e-bike users

Designed to WELL Building accreditation principles




Schedule of areas

ONE PEMBROKE will provide 97,000 sq ft of premium office space on 10 levels which generous terraces for occupier enjoyment. The reception features a cafe which opens to the public along with vibrant new public realm space at street level.

LEVEL		Office NIA (sq ft)	Terr	ace (sq ft)	
Ninth		5,702		2,675	
Eight		8,310		400	
Seventh		8,773		562	
Sixth		9,455		343	
Fifth		9,863		463	
Fourth		10,456		709	
Third		11,249		301	
Second		11,623		420	
First		11,088			
Ground		8,328			
Reception		1,841			
TOTAL		96,687			
CAFE		872			
BASEMENT AMENITIES	370				
	169 bike spaces and lockers	14 showers	12 car parking spaces (all EV)	Electric bike charging facilities	




Basement



bike spaces and lockers


14 SHOWERS AND SHOWER SUITES









Ground Floor













First Floor













Fourth Floor






Terrace 709 SQ FT







Ninth Floor (Penthouse)











GENERAL

- High quality Grade A building finishes and specifications
- Unitized glazed system with integrated brick-faced insulated panels
- Double height reception
- Building Energy Management System
- High-Efficiency Glazing to minimize Solar Gain and maximize natural light
- Full sprinkler protection to building with automatic operating vents to stair core and glazed side walls
- Adequate plant space for tenant fit out
- Fossil Free Operations / Fully Electric

CAT A OFFICES

- Suspended perforated metal ceiling tiles 600mm x 600mm
- Energy Efficient LED lighting throughout with automatic daylighting control (automatic dimming) and combined PIR detection
- High efficiency air source heat pumps serving water side control 4 pipe fan coil units
- Painted proprietary plasterboard partitions
- Raised access floor
- Heat Recovery in heating and cooling mode, variable speed driven, roof mounted AHUs
- Capacity for floor subdivision
- Efficient floor plates to cater for open plan and cellular accommodation
- Limited number of columns

OFFICE FLOOR LOADING

• Office floors: 3kN per sq m. (plus 1kN per sq. m. partitions)

COMMON AREAS

- Fully completed common areas to exceptionally high standards throughout
- Impressive double height reception area
- Fully completed lift lobbies with high quality floor and wall finishes
- Fully completed toilet areas with high quality floor and wall finishes (1 person per 10 sq.ft.)
- 14 high quality end of trip showers with changing and drying room facilities.
- 5,873 sq.ft. of external terraced spaces.

BUILDING TARGETS

- BER A2
- NZEB Compliant
- LEED Platinum V4 Shell + Core
- WELL Gold Standard
- Wired Score Platinum
- Target Smart Building Enabled
- Net Zero Carbon 2030 (operational) Compliant
- Embodied Carbon LETI 2030 Compliant

OFFICE

- Means of escape: 1 person per 6 sq.ft.
- Internal climate: 1 person per 10 sq.ft.
- Lift provision: 1 person per 10 sq.ft.
- Sanitary provision: 1 person per 10 sq.ft.
- Toilet ratio: 60% male & 60% female provision to BS6465-1 2006 + A1 2009

FLOOR HEIGHTS

- Reception double-height floor to ceiling height: 7.60m
- GF floor to ceiling height: 3.90m
- General office slab to slab height: 3.70m
- General office floor to ceiling height: 2.75m
- Raised floor zone: nominal 150mm (top structural slab to top of finished floor level)
- Ceiling zone: nominal 550mm (underside of structural slab to finished ceiling level)

STRUCTURE

• The structure for proposed office development will comprise a reinforced concrete frame with post-tensioned slabs.

ACCESSIBILITY

- Step-free access is provided to the office accommodation from the internal circulation spaces
- Universally accessible WCs on each floor
- A universally accessible shower and changing room is provided at basement level adjoining the lift lobby

MECHANICAL INSTALLATIONS

Winter Temperature:

- Outside: 3°C db 100%RH
- Internal Office: 21°C db (+/-1°C)
- Toilets: 18°C db (minimum)
- Reception: 21°C db (+/-1°C)

Summer Temperature:

- Outside: 27 °C db 65%RH
- Internal Office: 22°C db (+/-2°C)
- Toilets: 18°C db (minimum)
- Reception: 22°C db (+/-2°C
- Fresh Air Supply:
- Offices: 10
- litres/second/person at 1 per 10 sq.ft.
- Toilets: 10 air changes/hour/extract plus make-up
- Acoustics Level:
- Office Open Plan: NR35
- Toilets: NR40
- Staircores: NR45
- Reception Area: NR40
- Water Services:
- 24-hour water storage at 45 litres/person

LIGHTING

- Offices: Energy efficient LED lighting throughout complete with automatic dimmable/daylight control and combined PIR detection
- Reception: Bespoke lighting design using LED lighting throughout to reflect high quality reception area and combined PIR detection
- Toilets: LED lighting throughout to provide a low energy lighting solution using and combined PIR
- detection
- Lighting Control: The main tenant lighting control system will utilise lighting control modules connected on a communication network to allow dimmable/daylight and occupancy control. The system will be programmable for reasonable modern fitout requirements.
- Standby Power: A life safety generator will provide backup electrical supply to the life safety systems including firefighting lift, sprinkler pumps, and smoke shaft ventilation

PROTECTIVE INSTALLATION

- Fire Alarm System: Fire detection and alarm systems are in accordance with IS 3218 and designed to L2/ L3MX standard in line with the fire certificate. There are individual loops to each tenant floor.
- Security Systems: An IP based CCTV system will monitor external areas, car park, bicycle park, lift lobbies and the entrance foyer. Access control will be provided at main access points to the building.

MECHANICAL

- Design occupancy 1 person per 10m2 and 10 L/s per person fresh air
- Net Zero Carbon 2030 (operational) compliant LETI 2030.
- No fossil fuels used on site
- High efficiency air source heat pump to produce LPHW
- High efficiency water cooled chillers with dry coolers and 100% free cooling capacity to produce CHW
- Central fresh air with integral heat pumps and return air heat exchange
- Dedicated fresh air AHUs to cores no transfer air from office to core
- Dedicated high efficiency heat pump for domestic hot water
- Rainwater harvesting for WC flushing to reduce water consumption
- Embodied Carbon LETI 2030 compliant.

LIFTS

- Min 15-person high performance passenger lifts
- Average waiting time < 25 seconds BCO compliant
- Destination control integrated with access control

ELECTRICAL

- Dedicated ESB Substation
- Options for LV supply for multi tenants or MV supply for single tenant
- Option for full load tenant generator
- LED lights throughout
- Daylight harvesting on general office lights
- Building management control system open protocol to allow interface with the following:
- o Lighting control
- o Access control Security
- o Fire alarm
- Smart building enabled
- Access control and security system provided and expandable for tenant use
- Solar photovoltaic (PV) power generation

Professional Team

Orion

Gresham House

Linesight PROJECT MANAGER

RKD architects

John Spain Associates

Barrett Mahony STRUCTURAL ENGINEERS

Homan O'Brien

Mulcahy McDonagh &Partners

Meehan Green SUSTAINABILITY CONSULTANT

Stephen Diamond Associates

Billings Design FAÇADE CONSULTANT

HWBC / Knight Frank

For any enquiries



Paul Hanly paul.hanly@ie.knightfrank.com

Declan O'Reilly declan.oreilly@ie.knightfrank.com

+35316342466 KNIGHTFRANK.IE

DISCLAIMER

These particulars are issued by HT Meagher O'Reilly trading as Knight Frank and HWBC on the understanding that all the negotiations are conducted through them. These particulars do not constitute, nor constitute any part of an offer or contract. All statements, descriptions, dimensions, references to condition, permissions or licenses of use or occupation, access and other details are for guidance only and are made without responsibility on the part of HT Meagher O'Reilly trading as Knight Frank or HWBC or the vendor/ landlord. None of the statements contained in these particulars, as to the property are to be relied upon as statements or representations of fact and any intending purchaser/tenant should satisfy themselves (at their own expense) as to the correctness of the information given. Prices are quoted exclusive of VAT (unless otherwise stated) and all negotiations are conducted on the basis that the purchaser/tenant shall be liable for any VAT arising on the transaction. The vendor/landlord do not make or give, and neither HT Meagher O'Reilly trading as Knight Frank or HWBC or any of their employees has any authority to make or give any representation or warranty whatsoever in respect of this property. Knight Frank is a registered business name of HT Meagher O'Reilly Unlimited. Company licence Reg. No. 385044. PSR Reg. No. 001266. any intending purchaser/tenant should satisfy themselves (at their own expense) as to the correctness of the information given. Prices are guoted exclusive of VAT (unless otherwise stated) and all negotiations are conducted on the basis that the purchaser/tenant shall be liable for any VAT arising on the transaction. The vendor/landlord do not make or give, and neither HT Meagher O'Reilly trading as Knight Frank or HWBC or any of their employees has any authority to make or give any representation or warranty whatsoever in respect of this property. HWBC Limited t/a HWBC are a Company registered in Ireland, having registered offices at 80 Harcourt Street, Dublin 2. Company Registration Number: 399861. PSA Registration Number 002098.



PSRA No: 002098

Paul Scannell pscannell@hwbc.ie

Kieran Curtin kcurtin@hwbc.ie

+35317750500 HWBC.IE

BALLSBRIDGE, DUBLIN 4